Colorado

Comparison of Racial and Ethnic Distribution by Local Agency Children Aged < 5 Years (2)

	С	omparison o	of Racial and	Ethnic Distri	-	cal Agency		
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
	, , ,	70	70	70	70	70	70	
Baca	103	70.9	0.0	27.2	0.0	0.0	1.9	0.0
Bent	213	58.7	0.5	36.6	0.0	1.4	2.8	0.0
Boulder	4,915	25.0	1.0	68.5	0.8	1.9	2.7	0.0
Broomfield	624	43.4	1.4	46.3	0.8	3.4	4.6	0.0
Clear Crk	165	84.2	0.6	11.5	0.0	0.0	3.6	0.0
Delta	600	44.5	0.3	50.0	0.3	0.3	4.3	0.2
Denver	18,519	8.5	14.6	71.2	1.2	2.0	2.4	0.0
Dolores	55	*	*	*	*	*	*	*
Eagle	1,085	4.9	0.7	93.5	0.4	0.3	0.2	0.0
El Paso	16,851	42.2	8.7	39.5	0.8	1.4	7.4	0.1
Garfield	1,470	16.1	0.6	81.4	0.7	0.1	1.1	0.0
Grand	192	51.6	0.5	43.2	0.0	0.0	4.7	0.0
Gunnison	267	56.2	0.4	40.4	0.4	0.0	2.6	0.0
Jackson	30	*	*	*	*	*	*	*
Jefferson	7,720	44.8	2.5	47.7	0.9	2.3	1.8	0.0
Kit Carson	416	45.0	1.2	51.0	0.7	0.5	1.7	0.0
Larimer	4,702	49.5	1.0	45.5	0.5	0.9	2.6	0.0
Las Animas	657	26.5	0.3	70.8	0.5	0.0	2.0	0.0
Lincoln	162	74.1	1.9	23.5	0.0	0.0	0.6	0.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date: 3 / 22 / 10

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Racial and Ethnic Distribution by Local Agency Children Aged < 5 Years (2)

	С	omparison o	of Racial and	Ethnic Distri	•	cal Agency		
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Mesa	3,657	55.7	0.4	39.5	0.4	0.5	3.4	0.1
Montezuma	764	50.1	0.4	39.5	12.7	0.5	4.6	0.0
Montrose	1,712	41.9	0.0	49.2	0.7	0.1	7.2	0.1
NECHD	,							0.1
NWVNA	2,802	41.9	2.4	53.6	0.3	0.2	1.5	0.0
	694	48.8	1.0	46.8	0.6	0.3	2.4	
Otero	1,097	31.3	0.0	67.1	0.2	0.2	1.3	0.0
Ouray	47	*	* *		*	*	*	*
Park	185	70.8	0.5	17.3	1.1	1.1	9.2	0.0
Pitkin	72	*	*	*	*	*	*	*
Prowers	667	30.1	0.4	67.0	0.9	0.0	1.5	0.0
Pueblo	6,061	23.4	1.1	68.8	0.7	0.3	5.6	0.1
Rio Blanco	184	58.7	0.0	38.0	2.2	0.0	0.5	0.5
San Juan	1,208	37.9	0.1	49.1	8.0	0.2	4.6	0.1
San Miguel	106	41.5	0.0	54.7	1.9	0.0	1.9	0.0
Summit	560	20.2	1.3	76.6	0.4	0.7	0.9	0.0
Sunrise	4,946	25.4	1.9	70.6	0.4	0.9	0.8	0.0
TCHD	33,278	21.7	9.1	63.4	0.8	2.3	2.6	0.1
Teller	388	87.9	0.8	6.7	0.8	1.0	2.8	0.0
UAACOG	1,829	63.1	0.5	32.0	0.5	0.2	3.5	0.1

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date: 3 / 22 / 10

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F

2009 Pediatric Nutrition Surveillance (1)

Colorado

Comparison of Racial and Ethnic Distribution by Local Agency Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Local Agency American **Local Agency** Number White, Not Black, Not Hispanic Multiple Races All Other / Asian/Pacific Indian/Alaska Included in Hispanic Hispanic Islander Unknown Native Analysis (3) % % % **VWHS** 0.0 2,022 22.1 0.5 76.2 0.4 0.3 0.5 6.5 121,025 29.4 58.3 0.9 1.5 3.3 0.0 Colorado Nation 8,164,612 31.7 18.8 41.0 1.0 2.6 2.1 2.7 (Prior Year)



Page:

Run Date: 3 / 22 / 10

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with errors.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 3 / 22 / 10

Comparison of Age Distribution by Local Agency Children Aged < 5 Years (2)

	Comparison	Comparison of Age Distribution by Local Agency									
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %							
Baca	103	33.0	14.6	52.4							
Bent	213	38.0	17.4	44.6							
Boulder	4,915	34.9	18.2	47.0							
Broomfield	624	38.5	18.6	42.9							
Clear Crk	165	37.0	23.6	39.4							
Delta	600	33.8	20.3	45.8							
Denver	18,519	40.6	18.4	41.0							
Dolores	55	*	*	*							
Eagle	1,085	41.9	19.9	38.2							
El Paso	16,851	36.1	19.2	44.8							
Garfield	1,470	43.7	20.1	36.1							
Grand	192	42.2	15.1	42.7							
Gunnison	267	35.2	23.2	41.6							
Jackson	30	*	*	*							
Jefferson	7,720	36.7	21.6	41.7							
Kit Carson	416	32.0	17.8	50.2							
Larimer	4,702	37.4	18.7	43.9							
Las Animas	657	39.7	18.3	42.0							

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 3 / 22 / 10

Comparison of Age Distribution by Local Agency Children Aged < 5 Years (2)

	Comparison of Age Distribution by Local Agency										
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %							
I · · · · · · ·											
Lincoln	162	40.1	16.7	43.2							
Mesa	3,657	40.9	19.7	39.5							
Montezuma	764	31.8	19.4	48.8							
Montrose	1,712	33.2	18.2	48.6							
NECHD	2,802	36.5	17.4	46.1							
NWVNA	694	45.8	16.9	37.3							
Otero	1,097	31.3	18.9	49.9							
Ouray	47	*	*	*							
Park	185	37.3	20.0	42.7							
Pitkin	72	*	*	*							
Prowers	667	34.6	19.8	45.6							
Pueblo	6,061	33.4	20.3	46.3							
Rio Blanco	184	35.9	16.3	47.8							
San Juan	1,208	41.6	19.3	39.2							
San Miguel	106	32.1	28.3	39.6							
Summit	560	35.9	22.9	41.3							
Sunrise	4,946	43.1	21.7	35.2							
TCHD	33,278	38.9	18.1	43.0							

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F

2009 Pediatric Nutrition Surveillance (1)

Comparison of Age Distribution by Local Agency Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency											
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %							
Teller	388	37.1	19.3	43.6							
UAACOG	1,829	36.3	19.0	44.7							
VWHS	2,022	34.6	18.6	46.8							
Colorado	121,025	38.0	19.0	43.0							
Nation (Prior Year)	8,164,612	35.8	23.0	41.3							

(Prior Year)



Page:

Run Date:

3 / 22 / 10

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 7 Run Date: 3 / 22 / 10

		Compar	ison of G	rowth a	nd Anen	nia Indi	cators k	y Local	Agency	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				•
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight ₍₇₎		Low	emia Hb/Hct (8)
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Baca	16	* *	* *	98	* *	* *	* *	52	* *	* *	71	* *
Bent	49	* *	* *	212	10.8 (30)	4.2 (23)	10.8 (32)	94	* *	* *	131	6.9 (2)
Boulder	1,074	6.3 (2)	5.9 (21)	4,867	5.4 (4)	2.3 (4)	10.1 (30)	2,299	16.7 (25)	11.7 (24)	3,100	11.4 (12)
Broomfield	142	6.3 (2)	6.3 (22)	617	8.3 (18)	3.2 (13)	6.2 (9)	267	12.0 (4)	8.6 (8)	356	11.8 (14)
Clear Crk	35	* *	* *	164	11.0 (31)	7.9 (33)	0.6 (1)	65	* *	* *	54	* *
Delta	138	8.7 (12)	6.5 (24)	593	4.9 (3)	4.2 (23)	9.3 (25)	273	12.1 (5)	10.3 (17)	349	13.8 (19)
Denver	4,778	9.3 (16)	5.2 (19)	18,390	7.3 (12)	3.4 (14)	9.0 (24)	7,549	15.0 (18)	10.6 (20)	11,500	11.8 (14)
Dolores	16	* *	* *	54	* *	* *	* *	27	* *	* *	33	* *
Eagle	290	6.9 (4)	2.8 (6)	1,077	7.8 (17)	1.9 (1)	11.5 (33)	416	18.0 (27)	13.7 (26)	676	20.6 (29)
El Paso	3,836	10.0 (17)	3.8 (10)	16,705	8.6 (23)	2.8 (8)	6.2 (9)	7,493	13.9 (10)	5.6 (4)	10,131	15.9 (25)
Garfield	372	7.5 (6)	4.3 (13)	1,456	6.6 (8)	2.6 (7)	10.0 (29)	533	14.1 (11)	8.8 (9)	769	8.3 (3)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 8 Run Date: 3 / 22 / 10

		Compar	ison of G	rowth a	nd Anen	nia Indio	ators k	y Local	Agency	(3,4)		
		Birthweight	(5)			He	ight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Grand	54	* *	* *	186	10.2 (28)	4.8 (26)	5.9 (7)	82	* *	* *	119	5.0 (1)
Gunnison	57	* *	* *	267	6.0 (7)	4.9 (27)	5.6 (5)	112	9.8 (1)	5.4 (3)	162	16.0 (26)
Jackson	4	* *	* *	29	* *	* *	* *	16	* *	* *	19	* *
Jefferson	1,815	10.6 (20)	5.1 (18)	7,643	7.2 (11)	3.8 (19)	7.4 (13)	3,201	13.8 (9)	9.1 (11)	4,725	11.0 (10)
Kit Carson	74	* *	* *	413	7.7 (15)	4.1 (22)	9.4 (26)	210	14.3 (16)	12.4 (25)	277	8.3 (3)
Larimer	1,148	8.7 (12)	4.9 (16)	4,664	7.7 (15)	3.7 (17)	8.4 (18)	2,029	14.1 (11)	10.0 (16)	2,769	13.0 (17)
Las Animas	166	8.4 (9)	0.0 (1)	653	8.7 (24)	2.1 (3)	8.9 (23)	281	14.2 (14)	10.7 (21)	356	20.5 (28)
Lincoln	37	* *	* *	161	5.6 (5)	3.7 (17)	8.1 (16)	72	* *	* *	98	* *
Mesa	979	8.4 (9)	4.0 (12)	3,627	6.6 (8)	3.4 (14)	8.8 (21)	1,436	12.8 (6)	11.1 (22)	2,031	13.8 (19)
Montezuma	156	7.1 (5)	2.6 (3)	760	9.3 (26)	2.9 (9)	7.9 (15)	367	9.8 (1)	7.9 (7)	498	9.0 (8)
Montrose	324	11.4 (21)	4.9 (16)	1,684	8.4 (21)	3.1 (12)	8.2 (17)	837	13.6 (8)	5.3 (2)	290	12.1 (16)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 9 Run Date: 3 / 22 / 10

		Compar	ison of G	rowth a	nd Anen	nia Indi	cators k	oy Local	l Agency	(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
NECHD	603	6.0 (1)	4.8 (15)	2,784	5.6 (5)	2.0 (2)	10.3 (31)	1,283	17.8 (26)	11.1 (22)	1,805	8.4 (5)
NWVNA	199	10.1 (18)	3.5 (8)	688	8.4 (21)	6.0 (31)	5.7 (6)	255	15.3 (19)	9.8 (14)	352	15.3 (23)
Otero	205	14.1 (22)	3.9 (11)	1,082	7.4 (13)	2.9 (9)	8.7 (20)	542	16.6 (24)	9.6 (13)	734	8.9 (7)
Ouray	10	* *	* *	45	* *	* *	* *	19	* *	* *	31	* *
Park	41	* *	* *	179	12.3 (34)	6.1 (32)	2.8 (2)	79	* *	* *	66	* *
Pitkin	19	* *	* *	71	* *	* *	* *	29	* *	* *	39	* *
Prowers	141	8.5 (11)	6.4 (23)	661	4.8 (2)	2.4 (5)	12.6 (34)	308	15.9 (23)	17.9 (27)	434	11.5 (13)
Pueblo	1,350	9.1 (14)	3.6 (9)	6,023	8.8 (25)	2.4 (5)	9.8 (28)	2,778	14.1 (11)	9.9 (15)	3,979	8.4 (5)
Rio Blanco	41	* *	* *	182	2.2 (1)	5.5 (30)	7.1 (12)	87	* *	* *	124	14.5 (21)
San Juan	306	7.5 (6)	2.6 (3)	1,198	8.3 (18)	4.2 (23)	4.9 (4)	473	15.4 (20)	6.1 (6)	608	13.0 (17)
San Miguel	18	* *	* *	104	10.6 (29)	3.8 (19)	6.7 (11)	41	* *	* *	66	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 10 Run Date: 3 / 22 / 10

		Compai	rison of G	rowth a	nd Anen	nia Indi	cators b	y Local	Agency	(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight ₍₇₎		Low H	emia Hb/Hct 3)
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Summit	112	14.3 (23)	2.7 (5)	549	11.3 (32)	8.2 (34)	8.4 (18)	219	14.2 (14)	10.5 (19)	397	26.2 (30)
Sunrise	1,398	8.3 (8)	5.4 (20)	4,895	7.5 (14)	2.9 (9)	9.7 (27)	1,730	15.8 (22)	10.3 (17)	2,877	10.9 (9)
TCHD	8,034	9.2 (15)	4.5 (14)	32,994	7.0 (10)	3.8 (19)	8.8 (21)	14,173	14.4 (17)	8.9 (10)	19,997	14.6 (22)
Teller	82	* *	* *	381	11.3 (32)	5.0 (28)	3.9 (3)	167	11.4 (3)	2.4 (1)	238	17.2 (27)
UAACOG	386	10.4 (19)	3.4 (7)	1,815	8.3 (18)	3.4 (14)	6.0 (8)	826	13.0 (7)	5.8 (5)	1,074	11.3 (11)
VWHS	444	14.9 (24)	2.0 (2)	1,992	9.5 (27)	5.1 (29)	7.5 (14)	939	15.7 (21)	9.5 (12)	1,267	15.5 (24)
Colorado	28,949	9.3	4.5	119,963	7.5	3.4	8.4	51,659	14.5	9.0	72,602	13.1
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,00	0 6.0	4.5	14.1	2,943,99	6 16.5	14.8	4,916,523	14.9

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 11 Run Date: 3 / 22 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)

Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency <2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (6) (7) (8) % % % Number % % % % **Local Agency** Number Number Number Number Number Number Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 6 12 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) 21 * * Baca 16 18 Bent 49 40 31 0 0 1,075 922 675 Boulder 87.0 (6) 45.1 (4) 31.3 (2) 0 Broomfield 142 83.8 (10) 115 33.9 (8) 95 * * 35 27 32 0 Clear Crk Delta 138 87.7 (5) 111 30.6 (10) 4,784 0 0 Denver 77.3 (13) 3,693 27.2 (17) 2,633 16.7 (13) 6 16 14 Dolores * * 290 93.8 (1) 0 0 0 265 45.7 (3) 193 20.2 (9) Eagle FI Paso 3,838 2.969 2,299 20.7 (8) 71.6 (17) 30.5 (11) * * 373 0 Garfield 93.0 (2) 304 47.4 (2) 223 27.4 (3) Grand 54 41 19 57 57 53 0 0 * * Gunnison

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- 6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- 7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.</p>



Page: 12 Run Date: 3 / 22 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)

Children Aged < 5 Years (3)

			Breastfe	eeding 3)				Exclusive	Brea (7	astfeeding 7)	≤2 Hou Viewin (i		Smoking in Household	
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)		Number % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Jackson	4	* *	2	* *	3	* *	0	* *	0		0	* *	0	* *
Jefferson	1,815	74.4 (16)	1,706	26.9 (18)	1,440	19.2 (10)	0	* *	0	* *	0	* *	0	* *
Kit Carson	74	* *	69	* *	47	* *	0	* *	0	* *	0	* *	0	* *
Larimer	1,148	82.8 (11)	979	32.0 (9)	664	21.8 (6)	0	* *	0	* *	0	* *	0	* *
Las Animas	167	68.9 (19)	123	26.0 (19)	88	* *	0	* *	0	* *	0	* *	0	* *
Lincoln	37	* *	41	* *	27	* *	0	* *	0	* *	0	* *	0	* *
Mesa	979	84.4 (9)	788	25.6 (20)	572	14.9 (15)	0	* *	0	* *	0	* *	0	* *
Montezuma	156	86.5 (7)	130	43.8 (5)	108	33.3 (1)	0	* *	0	* *	0	* *	0	* *
Montrose	324	77.8 (12)	281	29.9 (12)	231	16.9 (12)	0	* *	0	* *	0	* *	0	* *
NECHD	605	68.3 (21)	582	19.1 (23)	424	10.4 (19)	0	* *	0	* *	0	* *	0	* *
NWVNA	199	88.4 (4)	156	35.9 (7)	98	* *	0	* *	0	* *	0	* *	0	* *
Otero	205	54.1 (24)	179	16.8 (24)	159	12.6 (16)	0	* *	0	* *	0	* *	0	* *
Ouray	10	* *	5	* *	5	* *	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 13 Run Date: 3 / 22 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)

Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency <2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (6) (7) (8) % % % Number % % % % **Local Agency** Number Number Number Number Number Number Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 6 12 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) 41 32 21 Park Pitkin 19 20 0 0 141 139 103 Prowers 75.9 (15) 21.6 (21) 12.6 (16) 0 1,179 Pueblo 1,354 66.6 (23) 20.6 (22) 1,048 12.3 (18) 42 32 22 0 Rio Blanco San Juan 307 90.6 (3) 247 40.9 (6) 183 26.8 (4) 18 17 27 0 0 San Miguel * * Summit 114 86.0 (8) 122 54.1 (1) 97 * * 1.399 0 0 0 68.5 (20) 1.162 29.1 (15) 866 21.1 (7) Sunrise **TCHD** 8,043 6,887 4,846 18.5 (11) 77.0 (14) 29.2 (14) * * 82 0 Teller 76 56 UAACOG 386 70.5 (18) 371 29.6 (13) 272 23.9 (5) **VWHS** 444 0 0 * * 68.2 (22) 386 277 15.2 (14) 28.2 (16)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- 6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- 7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 14 Run Date: 3 / 22 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)

Children Aged < 5 Years (3)

	Compar	ison of E	Breastfe	eeding,	TV Viev	ving, and	l Smok	king in H	ouseho		cal Ageı	псу		
			Breastfe (6	•				Exclusive B	reastfeedir (7)	ng		urs TV ng/Day (8)	Smoking in Household	
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Colorado	28,980	76.4	24,290	29.6	18,051	18.9	0	*	0	*	0	*	0	*
Nation (Prior Year)	1,719,0	83 62.0	848,761	26.9	1,038,20	03 19.1	144,421	12.9	206,416	7.2	744,697	74.8	3,277,35	2 10.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

⁽⁸⁾ Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 15 Run Date: 3 / 22 / 10

		Compar	ison of G	rowth a	nd Anen	nia Indi	cators k	y Loca	l Agency	(3,4)			
		Birthweight	(5)			Н	eight and V	Veight				emia	
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low Hb/Hct (8)		
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
Baca	70	* *	* *	330	8.2 (20)	4.2 (24)	11.2 (35)	157	19.1 (35)	15.9 (34)	197	15.2 (29)	
Bent	138	13.0 (29)	0.7 (2)	570	9.6 (32)	4.2 (24)	12.3 (38)	251	18.7 (34)	13.9 (33)	362	12.7 (16)	
Boulder	3,239	7.5 (6)	5.8 (32)	13,936	5.7 (4)	2.8 (9)	9.8 (32)	6,349	16.4 (31)	12.1 (30)	8,646	12.5 (15)	
Broomfield	427	7.7 (7)	4.9 (26)	1,726	9.2 (30)	3.7 (19)	8.1 (20)	766	12.8 (9)	10.4 (24)	972	12.9 (17)	
Clear Crk	120	11.7 (25)	2.5 (8)	487	10.9 (35)	5.7 (35)	3.5 (1)	209	14.4 (20)	4.3 (2)	198	3.0 (1)	
Delta	406	9.9 (16)	4.4 (21)	1,701	6.8 (8)	3.8 (20)	9.7 (31)	764	13.9 (15)	10.3 (22)	978	13.0 (18)	
Denver	13,723	9.8 (15)	5.0 (27)	48,128	7.3 (13)	3.5 (16)	8.5 (24)	18,134	14.4 (20)	10.2 (21)	29,024	11.0 (13)	
Dolores	29	* *	* *	121	13.2 (38)	5.0 (28)	5.8 (5)	56	* *	* *	59	* *	
Eagle	808	7.1 (4)	3.7 (15)	2,804	8.2 (20)	2.2 (2)	11.4 (36)	1,008	18.4 (33)	12.7 (32)	1,656	23.0 (34)	
El Paso	11,598	10.5 (21)	3.6 (13)	47,990	9.0 (27)	3.1 (13)	6.4 (12)	20,805	13.6 (12)	6.4 (8)	23,882	15.7 (30)	
Garfield	1,041	8.6 (12)	4.5 (22)	3,779	7.1 (10)	2.6 (4)	9.2 (28)	1,365	14.5 (22)	8.9 (15)	2,044	9.4 (9)	

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 16 Run Date: 3 / 22 / 10

		Compar	ison of G	rowth a	nd Anen	nia Indio	cators k	y Local	Agency	(3,4)		
		Birthweight	(5)									
		Low	High		Short Stature (6)	Under- Obese ≥ 2 Yrs weight Over- (7) (7) weight (7)				Anemia Low Hb/Hct (8)		
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grand	136	11.0 (24)	1.5 (3)	487	7.8 (15)	5.3 (30)	6.0 (8)	201	10.0 (2)	5.0 (3)	295	7.8 (3)
Gunnison	177	11.9 (26)	5.6 (31)	705	6.2 (6)	5.1 (29)	5.8 (5)	282	11.3 (5)	7.4 (9)	400	14.8 (28)
Jackson	15	* *	* *	91	* *	* *	* *	46	* *	* *	56	* *
Jefferson	5,547	10.1 (18)	4.5 (22)	21,777	7.8 (15)	3.6 (17)	7.3 (15)	8,880	15.4 (28)	9.7 (19)	13,049	10.7 (12)
Kit Carson	243	6.2 (1)	4.1 (19)	1,167	8.1 (17)	2.8 (9)	9.5 (29)	555	14.6 (23)	12.4 (31)	770	7.5 (2)
Larimer	3,261	8.2 (11)	5.2 (28)	12,903	7.6 (14)	3.6 (17)	8.1 (20)	5,381	15.1 (26)	10.5 (26)	7,577	13.4 (20)
Las Animas	469	12.8 (28)	1.7 (4)	1,857	9.5 (31)	2.6 (4)	8.1 (20)	790	15.9 (29)	8.9 (15)	1,052	20.6 (32)
Lincoln	129	7.8 (8)	5.4 (29)	530	8.1 (17)	4.9 (27)	6.2 (9)	238	9.2 (1)	8.4 (12)	300	9.0 (7)
Mesa	2,584	8.1 (9)	4.1 (19)	9,268	7.1 (10)	3.3 (15)	8.9 (27)	3,413	14.3 (19)	11.2 (29)	4,761	14.0 (25)
Montezuma	465	7.3 (5)	3.9 (18)	2,012	8.7 (26)	2.7 (8)	8.0 (18)	914	12.4 (7)	7.8 (11)	1,247	8.2 (4)
Montrose	1,030	10.5 (21)	3.8 (17)	4,585	8.2 (20)	2.6 (4)	8.2 (23)	2,166	13.6 (12)	6.3 (6)	867	13.8 (24)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 17 Run Date: 3 / 22 / 10

		Compar	ison of G	rowth a	nd Anen	nia Indi	cators b	y Local	Agency	(3,4)		
		Birthweight	(5)									
	Low High Short Under- Obese ≥ 2 Yrs Stature weight Over- (6) (7) (7) weight (7)		Low	emia Hb/Hct (8)								
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
NECHD	1,734	6.7 (3)	4.7 (25)	7,567	6.4 (7)	1.8 (1)	10.6 (34)	3,460	18.0 (32)	10.9 (27)	4,728	9.2 (8)
NWVNA	532	10.9 (23)	3.6 (13)	1,781	8.6 (25)	5.5 (31)	5.7 (4)	648	13.4 (11)	8.8 (14)	982	11.7 (14)
Otero	663	10.3 (20)	2.7 (9)	3,145	7.0 (9)	2.6 (4)	8.8 (26)	1,583	14.2 (18)	10.4 (24)	2,080	8.8 (6)
Ouray	28	* *	* *	127	4.7 (3)	5.5 (31)	6.3 (10)	46	* *	* *	80	* *
Park	103	20.4 (33)	0.0 (1)	492	10.8 (34)	7.1 (37)	4.9 (3)	231	11.3 (5)	5.2 (4)	200	14.5 (27)
Pitkin	49	* *	* *	177	1.1 (1)	7.3 (38)	7.3 (15)	64	* *	* *	110	38.2 (36)
Prowers	432	10.2 (19)	6.0 (33)	1,835	6.1 (5)	3.1 (13)	11.8 (37)	848	15.9 (29)	17.7 (35)	1,161	13.4 (20)
Pueblo	4,133	9.6 (14)	3.7 (15)	17,267	9.1 (29)	2.4 (3)	10.0 (33)	7,736	14.6 (23)	10.3 (22)	11,130	8.2 (4)
Rio Blanco	107	6.5 (2)	2.8 (10)	403	4.2 (2)	5.5 (31)	7.7 (17)	161	10.6 (3)	8.7 (13)	240	16.3 (31)
San Juan	892	9.5 (13)	3.0 (11)	3,221	8.4 (24)	3.9 (21)	5.8 (5)	1,232	15.3 (27)	7.6 (10)	1,542	13.4 (20)
San Miguel	78	* *	* *	285	8.1 (17)	3.9 (21)	6.3 (10)	111	12.6 (8)	6.3 (6)	152	25.7 (35)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 18 Run Date: 3 / 22 / 10

	1	Compar	rison of G	rowth a	nd Anen	nia Indio	cators b	y Local	Agency	(3,4)		
		Birthweight	(5)									
		Low	High		Short Stature (6)	Under- weight (7)		≥ 2 Yrs Over- weight (7)			Anemia Low Hb/Hct (8)	
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Summit	416	16.3 (32)	2.2 (6)	1,546	12.0 (36)	6.5 (36)	8.0 (18)	574	12.9 (10)	9.9 (20)	1,033	21.5 (33)
Sunrise	4,010	8.1 (9)	5.4 (29)	12,071	8.3 (23)	3.0 (11)	9.5 (29)	3,514	15.0 (25)	11.0 (28)	6,696	9.8 (10)
TCHD	22,974	9.9 (16)	4.6 (24)	90,169	7.1 (10)	3.9 (21)	8.5 (24)	37,549	14.1 (16)	9.3 (17)	53,230	13.5 (23)
Teller	258	15.5 (31)	1.9 (5)	1,001	12.0 (36)	5.5 (31)	4.1 (2)	413	10.7 (4)	3.6 (1)	609	14.4 (26)
UAACOG	1,182	12.1 (27)	3.0 (11)	5,004	9.0 (27)	3.0 (11)	6.6 (13)	2,162	13.8 (14)	6.0 (5)	2,824	10.6 (11)
VWHS	1,292	13.3 (30)	2.2 (6)	5,557	10.3 (33)	4.8 (26)	7.2 (14)	2,505	14.1 (16)	9.6 (18)	3,528	13.1 (19)
Colorado	84,538	9.7	4.4	328,602	7.8	3.4	8.3	135,567	14.5	9.3	188,717	12.6

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 19 Run Date: 3 / 22 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)

Children Aged < 5 Years (3)

	Compar	ison of E	Breastf	eeding, 1	ΓV Vie\	wing, and	l Smol	king in H	ousehold by Lo	cal Ager	псу		
			Breastfe	eeding 6)				Exclusive E	Breastfeeding (7)	≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Baca	79	* *	78	* *	75	* *	0	* *	0 * *	0	* *	0	* *
Bent	158	70.9 (23)	135	11.9 (33)	118	5.1 (33)	0	* *	0 * *	0	* *	0	* *
Boulder	3,737	85.7 (6)	3,317	38.5 (4)	2,819	23.7 (2)	0	* *	0 * *	0	* *	0	* *
Broomfield	535	76.6 (16)	458	26.6 (20)	380	14.7 (19)	0	* *	0 * *	0	* *	0	* *
Clear Crk	154	72.1 (22)	125	28.8 (13)	114	6.1 (32)	0	* *	0 * *	0	* *	0	* *
Delta	509	82.3 (10)	438	27.6 (17)	375	16.5 (10)	0	* *	0 * *	0	* *	0	* *
Denver	15,651	74.1 (20)	13,402	25.3 (25)	10,399	13.7 (22)	0	* *	0 * *	0	* *	0	* *
Dolores	43	* *	46	* *	31	* *	0	* *	0 * *	0	* *	0	* *
Eagle	995	88.7 (3)	873	38.0 (6)	664	15.5 (15)	0	* *	0 * *	0	* *	0	* *
El Paso	14,346	70.3 (24)	12,567	26.5 (21)	10,279	15.0 (17)	0	* *	0 * *	0	* *	0	* *
Garfield	1,360	88.9 (2)	1,094	40.5 (3)	853	19.9 (7)	0	* *	0 * *	0	* *	0	* *
Grand	180	79.4 (13)	151	28.5 (14)	113	13.3 (23)	0	* *	0 * *	0	* *	0	* *
Gunnison	220	86.4 (5)	185	44.3 (2)	158	23.4 (3)	0	* *	0 * *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 20 Run Date: 3 / 22 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)

Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency <2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (6) (7) (8) % % % % % % % **Local Agency** Number Number Number Number Number Number Number Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 6 12 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) 20 21 Jackson 25 Jefferson 6,534 72.4 (21) 6,040 25.7 (24) 5,097 15.0 (17) 0 0 289 263 232 Kit Carson 66.4 (29) 25.9 (23) 14.2 (21) 0 Larimer 3,922 78.1 (15) 3,547 28.9 (12) 2,812 16.4 (11) 541 O Las Animas 66.0 (30) 495 23.8 (28) 385 15.6 (14) Lincoln 146 80.8 (12) 133 30.8 (11) 111 10.8 (28) 3,196 0 0 Mesa 80.9 (11) 2,756 24.6 (26) 2,177 13.0 (25) Montezuma 616 83.1 (7) 566 38.2 (5) 469 21.1 (4) * * 0 0 0 1.226 75.3 (18) 1.095 27.1 (19) 947 12.9 (26) Montrose 1,990 **NECHD** 2,122 63.6 (32) 1.592 16.8 (31) 7.7 (31) * * 634 0 **NWVNA** 82.6 (9) 529 31.4 (10) 393 16.0 (13) Otero 747 61.4 (33) 681 16.7 (32) 609 10.2 (30) 41 35 0 0 * * 38 Ourav

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- 7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.</p>



Page: 21 Run Date: 3 / 22 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)

Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency <2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (6) (7) (8) % % % Number % % % % **Local Agency** Number Number Number Number Number Number Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 6 12 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) Park 147 75.5 (17) 130 28.5 (14) 114 13.2 (24) Pitkin 65 61 50 0 0 493 446 380 Prowers 69.0 (26) 19.5 (29) 12.1 (27) 0 10.3 (29) Pueblo 4,579 64.1 (31) 4,241 18.9 (30) 3,805 O Rio Blanco 157 79.0 (14) 125 34.4 (9) 105 16.2 (12) San Juan 1,064 87.6 (4) 922 34.6 (8) 720 20.7 (5) 92 80 67 0 San Miguel 44.8 (1) 25.7 (1) Summit 498 89.0 (1) 433 369 * * 4.726 0 0 0 69.4 (25) 4.024 28.1 (16) 3.105 17.9 (9) Sunrise 19,167 14.7 (19) **TCHD** 27,260 24.409 26.0 (22) 74.8 (19) * * 336 0 Teller 82.7 (8) 304 34.9 (7) 233 18.5 (8) UAACOG 1.432 68.7 (27) 1.335 27.3 (18) 1.110 20.4 (6) **VWHS** 0 0 * * 1.490 68.2 (28) 1.345 24.2 (27) 1.178 15.5 (15)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- 7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.</p>



Page: 22 Run Date: 3 / 22 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)

Children Aged < 5 Years (3)

	Comparison of	Breastfeeding,	TV Viewing, and	d Smoking in H	ousehold by Lo	cal Agency	
		Breastfeeding (6)		Exclusive B	reastfeeding (7)	<2 Hours TV Viewing/Day (8)	Smoking in Household
Local Agency	Number % Ever Breastfed	Least 6 Months	Breastfed At Least 12 Months	Number % Breastfed At Least 3 Months	Number % Breastfed At Least 6 Months	Number %	Number %
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)
Colorado	100,340 74.0	88,878 26.7	71,665 15.0	0 *	0 *	0 *	0 *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

⁸⁾ Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.